

(DC1) Site Specific Development Control Provision

Walker ()

1. General Purpose

To allow Multi-unit Housing to be developed in the form of Row Housing on unique individual lots with increased Height and reduced rear Setbacks.

2. Area of Application

The DC1 Provision shall apply to a portion of SE-23-51-24, located south of 21 A Avenue SW. and east of 53 Street SW in the Walker neighbourhood, as shown in Schedule “A” of the Bylaw adopting this provision.

3. Uses


- a) Major Home Based Business
- b) Minor Home Based Business
- c) Residential Sales Centre
- d) Multi-unit Housing
- e) Secondary Suites
- f) Supportive Housing, Restricted to Limited Supportive Housing
- g) Urban Gardens
- h) Urban Outdoor Farms
- i) Fascia On-premises Signs

4. Development Regulations

- a) The minimum Site Area shall be 106 m².
- b) The minimum Lot Width shall be in accordance with Table 1.

Table 1 Minimum Lot Width – Individual Lots	
i. Row Housing – internal Dwelling	4.2 m
ii. Row Housing – end Dwelling	5.4 m
iii. Row Housing – corner Dwelling, abutting the flanking public roadway, other than a Lane	6.7 m

- c) The minimum Site Depth shall be 30.0 m.
- d) The minimum Front Setback shall be 4.5 m, except that:
 - i. The minimum Front Setback to the corner cut for Corner Lots shall be 3.0 m, as show in the following illustration:



- e) The minimum Rear Setback shall be 5.5 m, and 1.2 m for Accessory Buildings.

- f) The minimum Side Setback shall be 1.2 m, except that on a Corner Site, the minimum Side Setback abutting the flanking public roadway, other than a Lane, shall be 2.4 m.
- g) The maximum total Site Coverage shall be in accordance with Table 2, inclusive of the attached Garage:

Table 2 Maximum Site Coverage – Individual Lots	Principal building with detached Garage
i. Row Housing – internal Dwelling	57%
ii. Row Housing – end Dwelling	48%
iii. Row Housing – corner Dwelling, abutting the flanking public roadway, other than a Lane	40%

- h) The maximum Height shall not exceed 13.0 m.
- i) Each Dwelling unit shall provide a minimum 15.0 m² of private outdoor Amenity Area.
- j) Each Dwelling within Row Housing shall be individuals defined through a combination of architectural features that may include variations in the rooflines, projection or recession of the façade, porches or entrance features, building materials, or other treatments.
- k) On Corner Sites the façades of a principal building abutting the Front Lot Line and flanking Side Lot Line shall use consistent building materials and architectural features, and shall include features such as windows, doors, or porches.

- l) Row Housing shall not repeat the same architectural features more than six times on a block face.
- m) Notwithstanding Section 55, a minimum of one tree and four shrubs shall be provided for on Dwelling.
- n) Vehicular access shall be from a Lane.
- o) Signs shall comply with the regulations found in Section 59 A.

DRAFT